## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


## IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



F G.1













FIG.4


FIG.5B

FIG.5A






φΡ: PEAK AMOUNT OF LIGHT, φ0: ANGLE AT IRRADIATION ANGLE ΘΡ: IRRADIATION ANGLE INDICATING PEAK AMOUNT OF LIGHT



φP: PEAK AMOUNT OF LIGHT, φ0: ANGLE AT IRRADIATION ANGLE

FIG. 6

7/26









FIG.9B



ΦP: PEAK AMOUNT OF LIGHT, Φ0: ANGLE AT IRRADIATION ANGLEΘP: IRRADIATION ANGLE INDICATING PEAK AMOUNT OF LIGHT






FIG. 10


11/26



5.12



12/26



VISIBILITY (%)

IN LOWER SURFACE OF THE DIFFUSION PLATE

SURFACE LIGHTING DEVICE... Toshihiro Suzuki Greer Burns & Crain, Ltd. Reference No.: 1324.70182 Sheet 14 of 26





FIG. 14






FIG.16

17/26




FIG.17

18/26





FIG. 18

19/26



FG. 19

20/26





FIG. 20

21/26



22/26







FIG.22



24/26



25/26



SURFACE LIGHTING DEVICE... Toshihiro Suzuki Greer Burns & Crain, Ltd. Reference No.: 1324.70182 Sheet 26 of 26

March 30, 2004 (James K. Folker) March 30, 2004

26/26

